

## XT Graphics "On The Move" Star Kit – Matte Black

### Installation Guide for Jeep Wrangler 2-Door JK

**Installation Time:** <1 Hour

**Tools Required:**

- ✓ Spray Bottle
- ✓ Soap
- ✓ Box Cutter/Knife

**Installation Instructions:**

1. Carefully open the package using a box cutter or knife (Figure A).



Figure A

2. Ensure that all decals and squeegee are included (Figure B).



Figure B

3. Using an empty spray bottle (Figure C), combine a generous amount of soap and water.



Figure C




Figure D

4. Spray a generous amount of soap/water mixture onto the surface intended for the decal.
5. Peel away the backing, exposing the adhesive side of the decal (Figure E).




Figure E

6. Spray the soap/water mixture onto the exposed adhesive side of the decal (Figures F). This will allow for maneuverability when positioning the decal.




Figure F

7. Position the decal where it will be positioned (Figure G).




Figure G

- Using the squeegee, push soap/water mixture out, thus securing the decal. When using the squeegee, begin from the center (Figure H) and moving outward.



Figure H

- Once all soap/water mixture is pushed out, peel away remaining backing at a sharp angle (Figure I).




Figure I

10. Follow steps 4 through 9 to install remaining two stars.



Before



After

Installation Instructions Written by ExtremeTerrain Customer J. Sandlin 06/27/2017