

Bestop Rear Seat Cover - Tan

Installation Guide for Jeep Wrangler '07-'18 4-Door JKU

Installation Time: 1 Hour

Tools Required:

- ✓ Box Cutter/Knife (To Open Packaging)

Installation Instructions:

1. Begin by unzipping the small seat's backing (Figure A).



Figure A

2. Slide the small seat's backing over the small seat back (Figure B).



Figure B

3. Open the Velcro in order to slide the small seat backing over the headrest (Figure C).




Figure C

4. Align the small seat backing over the small seat back (ensuring the seat release is open (Figure D)).



Figure D

5. Unzip the large seat backing (Figure E).



Figure E

6. Open the Velcro in order to slide the large seat backing over the headrest (Figure F).



Figure F

7. Line the unzipped portion up around the seat belt (Figure G).



Figure G

8. Zip the large seat backing up around the seat belt question (Figure H).



Figure H

9. Slide the seat covers through the slip for both seats (Figure I).



Figure I

10. Zip the small seat backing back up (Figure J).



Figure J

11. Attach the seat backing to the slip.

12. Slide the lower seat over the larger seat (Figure K).



Figure K

13. Slide the lower seat over the smaller seat (Figure L).



Figure L

14. Run the straps underneath both seats and thread through the plastic buckles.
15. Slide the headrest cover onto the headrest (Figure M).



Figure M


16. Pull the headrest cover all the way down to that it covers the headrest entirely (Figure N).



Figure N



Before



After

Installation Instructions Written by ExtremeTerrain Customer J. Sandlin 07/10/2018