

Dirty Dog 4x4 Full Cargo/Pet Divider - Black
Installation Guide for Jeep Wrangler '07-'18 4-Door JKU

Installation Time: 1 Hour

Tools Required:

- ✓ Allen Wrench

Installation Instructions:

1. Place the divider into the rear of the vehicle and run a top fabric strap over the rear roll bar and into the plastic buckle (Figure A).



Figure A

2. Thread the fabric strap back through the buckle to secure (Figure B).



Figure B

3. Repeat Steps 1 and 2 for the other three top straps (Figure C).



Figure C

4. Run the corner strap up over the rear roll bar around the edge on both sides (Figure D).



Figure D

5. Connect the strap around the other end and Velcro together on both sides (Figure E).



Figure E

6. Run the bottom fabric strap through the rear seat bracket and connect to the bottom facing buckle on both sides (Figure F).



Figure F

7. Thread the supplied bolt into the hardtop mounting location on both sides and tighten down with an Allen wrench (Figure G).



Figure G

8. Run the fabric straps through the buckles just mounted (Figure H).



Figure H

9. Connect the top corner straps to the roll bar just above the seat belt mounts (Figure I).



Figure I



Before



After

Installation Instructions Written by ExtremeTerrain Customer J. Sandlin 08/04/2018