

**Dirty Dog 4x4 Front, Rear & Back Sun Screen**  
**Installation Guide for Jeep Wrangler '07-'18 4-Door JKU**

**Installation Time:** 1 Hour

**Tools Required:**

**Installation Instructions:**

1. Remove the hard top from the vehicle.
2. Place the front sun screen over the top of the vehicle (Figure A).



Figure A

3. Connect the snaps over the three footman loops on the front windshield (Figure B).



Figure B

4. Connect the corner straps onto the A-pillars (Figure C).



Figure C

5. Connect the rear side to the roll bar (Figure D).



Figure D

6. Connect the rear corners of the front sun screen around the roll bar.
7. Connect the side straps around the sides of the roll bar.
8. Set the rear sun screen over the top of the vehicle and connect the front over the roll bar and through the locking buckles (Figure E).



Figure E

9. Connect the rear sun screen over the rear roll bar and through the locking buckles (Figure F).



Figure F

10. Connect both side straps along the side roll bars.
11. Set the back sun screen over the rear roll bar and connect both top straps to the roll bar (Figure G).



Figure G

12. Connect the bungee straps to the inside tub on both ends (Figure H).



Figure H



Before



After

Installation Instructions Written by ExtremeTerrain Customer J. Sandlin 07/19/2018