

Smittybilt Full Climate Jeep Cover

(07-18 Jeep Wrangler JK 2 Door)

Installation Time: 20 Minutes

This can be done by one person but having a second set of hands might be helpful.



Installation Instructions:

This is being installed on a 2007 Jeep Wrangler Sport X

Before installation picture



1. Locate the front of the cover. Lay out cover in front of the Jeep so that the inside of the cover is face up and the front of the cover is located closest to your front bumper.



2. Take the rear end of the cover (the end you layed furthest away from your vehicle) and pull it over the car. If you have someone helping you then carefully continue to bring the end towards the rear of the car. If you are installing this alone you will have to constantly walk to the different side of the vehicle to evenly lay the cover over the car. (If You have lights or other accessories on you Jeep be careful that the cover doesn't get caught on them).



3. Insert the antenna through the provided antenna grommet before going too far towards the rear of the vehicle.



4. Slide the mirror pockets in the cover over your mirrors.



5. Continue to work the cover over your car until you get the rear of the vehicle. The cover has a built-in area which allows for your spare tire to be covered. I have a CB antenna located on the rear of my Jeep so I tucked the cover in behind the 3rd brake light housing.



6. Now go around your Vehicle making sure the elastic band in the cover is situated under the front and rear bumper keeping the top in place.



7. The cover comes with an included wire and lock to secure the cover to the vehicle. Insert the wire through the grommet on the passenger side.



8. Finally secure the wire through the grommet on the driver side with the provided lock.



After installation picture:



Installation Instructions Written by ExtremeTerrain Customer Yoni Comhaire 07/18/2019